

# Klebstoff Empfehlung

AMORIM CORK FLOORING



Product		WICANDERS		WAKOL® Anspruch verbindet	
		Adhesive	Tooling	Adhesive	Tooling
<b>WICANDERS</b>	<b>wood</b> Hydrocork	W336	A2	MS 550, MS 552, MS 260, MS 262	A2, B1, B2, B3
<b>WICANDERS</b>	<b>wood</b> SPC Floating			MS 550, MS 552, MS 260, MS 262	A2, B1, B2, B3
<b>AMORIM WISE</b>	<b>wood inspire 700</b> SRT			MS 228, MS 230, MS 260, MS 262, MS 290, MS 552, PU 210, PU 215, PU 220, PU 225	B3, B5, B11
<b>AMORIM WISE</b>	<b>wood inspire 700</b> HRT				
<b>AMORIM WISE</b>	<b>cork inspire 700</b> HRT				
<b>AMORIM WISE</b>	<b>wood pro</b>			MS 228, MS 230, MS 260, MS 262, MS 290, MS 552	B1, B2
				PU 210, PU 215, PU 220, PU 225	
<b>AMORIM WISE</b>	<b>cork pure</b>	W240	Roller	D 3540	Roller
<b>AMORIM WISE</b>	<b>dekwall</b>	W240	Roller	D 3540	Roller



Product		Bostik smart adhesives						
		Benelux	Balkans	Germany	France	Nordics	Poland	
		Adhesive						Tooling
<b>WICANDERS</b>	<b>wood</b> Hydrocork	Stix A540 Multi Plus, Stix A740 Multi Best, Stix A550 Power Elastic, Stix A790 Elastic Eco +, Stix H995 Elastic Xtrem						Spatule n°A2, 250 g/m <sup>2</sup>
<b>WICANDERS</b>	<b>wood</b> SPC Floating	Stix A800, Miplafix 800, Sadertech V8, Technimang Stix A300, Miplafix 300, Sadertac V6, Polymang SM Wood H 550 Eco Plus						Spatule n°A2, 250 g/m <sup>2</sup>
<b>AMORIM WISE</b>	<b>wood inspire 700</b> SRT							
<b>AMORIM WISE</b>	<b>wood inspire 700</b> HRT							
<b>AMORIM WISE</b>	<b>cork inspire 700</b> HRT							
<b>AMORIM WISE</b>	<b>wood pro</b>							
<b>AMORIM WISE</b>	<b>cork pure</b>				Contact A980 Eco Plus (Water based Contact) Contact N525 Multi (Solvent based)	Contact 31 (Water based Contact)	Contact N726 (Solvent based)	
<b>AMORIM WISE</b>	<b>dekwall</b>	Contact N525 Multi (Solvent based)	Contact N525 Multi (Solvent based)	Contact A950) Eco (Water based Contact)	Contact A980 Eco Plus (Water based Contact) Contact N525 Multi (Solvent based)	Contact 31 (Water based Contact)	Contact N726 (Solvent based)	





Product		Bona		
		Adhesive		Tooling
		Floor	Wall	
<b>WICANDERS</b>	<b>wood</b> Hydrocork	Bona Titan	-	Bona 850F (TKB B6)*
<b>WICANDERS</b>	<b>wood</b> SPC Floating	Bona R848T Bona Quantum Bona Titan	-	Bona 1000F (TKB B 8) or Bona 1250F (B11)*
<b>AMORIM WISE</b>	<b>cork inspire 700</b> HRT			
<b>AMORIM WISE</b>	<b>wood inspire 700</b> SRT			
<b>AMORIM WISE</b>	<b>wood inspire 700</b> HRT			
<b>AMORIM WISE</b>	<b>wood pro</b>			
<b>AMORIM WISE</b>	<b>cork pure</b>	Bona D740 Cork contact adhesive	Bona D740 Cork contact adhesive	Mohair roller
<b>AMORIM WISE</b>	<b>dekwall</b>		Bona D740 Cork contact adhesive	Mohair Roller

\* application of a levelling compound is mandatory





<b>AMORIM WISE</b>	<b>cork pure</b>	MK 250	MK 200	-	-
<b>AMORIM WISE</b>	<b>cork inspire 700 HRT</b>	KE 2000 S	KE 68	MK 250	MK 200
<b>AMORIM WISE</b>	<b>stone inspire 700 SRT</b>	KE 2000 S	KE 68	MK 250	MK 200
<b>AMORIM WISE</b>	<b>wood inspire 700 SRT</b>	KE 2000 S	KE 68	MK 250	MK 200
<b>AMORIM WISE</b>	<b>wood inspire 700 HRT</b>	KE 2000 S	KE 68	MK 250	MK 200
<b>AMORIM WISE</b>	<b>wood pro</b>	KE 2000 S	KE 68	MK 250	MK 200
<b>WICANDERS</b>	<b>wood Hydrocork</b>	KE 2000 S	KE 68	-	-
<b>WICANDERS</b>	<b>wood SPC Floating</b>	KE 2000 S	KE 68	MK 250	MK 200

## THOMSIT

<b>WICANDERS</b>	<b>wood Hydrocork</b>	K 188 E	K 190 F	P 695	P 699
<b>WICANDERS</b>	<b>wood SPC Floating</b>	P 695	P 685	P 675	P 625
<b>AMORIM WISE</b>	<b>wood inspire 700 HRT</b>	P 695	P 685	P 675	P 625
<b>AMORIM WISE</b>	<b>stone inspire 700 HRT</b>	P 695	P 685	P 675	P 625

Product		MAPEI	
		Adhesive	Tooling
<b>WICANDERS</b>	<b>wood</b> Hydrocork	Ultrabond Eco 4 LVT Ultrabond Eco VS90 PLUS Ultrabond Eco MS 4 LVT WALL	TKB A2 , MAPEI 1, V1
<b>WICANDERS</b>	<b>wood</b> SPC Floating	Ultrabond Eco 4 LVT Ultrabond Eco VS90 PLUS Ultrabond Eco V4 SP Ultrabond Eco V4 Evolution Ultrabond Eco MS 4 LVT WALL	TKB A2, MAPEI 1, V1
<b>AMORIM WISE</b>	<b>cork</b> inspire 700 HRT	Ultrabond Eco V4 SP* Ultrabond Eco V4 Evolution* Ultrabond Eco 4 LVT* Ultrabond Eco VS90 PLUS * Ultrabond Eco MS 4 LVT WALL *	
<b>AMORIM WISE</b>	<b>wood</b> inspire 700 SRT		
<b>AMORIM WISE</b>	<b>wood</b> inspire 700 HRT		
<b>AMORIM WISE</b>	<b>wood</b> pro		
<b>AMORIM WISE</b>	<b>cork</b> pure	Ultrabond Eco Contact Adesilex VZ (Solvent Based) Adesilex LP (Solvent Based)	Roller, TKB A1-A2 , MAPEI 1, V1
<b>AMORIM WISE</b>	<b>dekwall</b>	Ultrabond Eco Contact Adesilex VZ (Solvent Based) Adesilex LP (Solvent Based)	Roller, TKB A1-A2 , MAPEI 1, V1

\*Provided the flooring is installed in normal conditions (described by the local standards). Environmental temperature, surface temperature of the flooring and H.R. in service must be maintained constant.



